

ADDITIVE MANUFACTURING OF SMART MATERIALS: ADVANCEMENTS AND CHALLENGES

Aleksandra Mitrović¹ Đorđe Dihovični² Nada Ratković Kovačević³ Dragan Kreculj⁴ and Jelena Vučičević⁵

Abstract: Additive manufacturing (AM), also known as 3D printing, has revolutionized the production of advanced materials by enabling precise control over composition, structure, and functionality. This technology has facilitated the production of complex geometries and multifunctional components previously unattainable using traditional manufacturing technologies. One of the most exciting domains within this transformative field is the fabrication of smart materials - engineered materials capable of dynamically responding to external stimuli such as temperature, light, pH, stress, or electro-magnetic field. These materials have garnered substantial attention due to their potential to revolutionize various high-impact sectors, including biomedical engineering, aerospace technology, renewable energy systems, and advanced robotics. This paper provides an overview of AM technologies utilized for fabricating smart materials, discusses material-specific advancements, and identifies challenges and future directions in this rapidly evolving field. By bridging gaps in knowledge and technology, this review aims to inspire further innovations and contribute to the advancement of both additive manufacturing and smart material sciences.

Keywords: Additive manufacturing (AM), AM Technologies, 3D printing, Smart Materials, Challenges

1. INTRODUCTION

Smart materials are a class of advanced materials specifically engineered to exhibit dynamic and controllable responses to various external stimuli, including but not limited to temperature, light, magnetic and electric fields, humidity, and mechanical stress. These materials possess the unique ability to adapt their properties, shape, or functionality in response to environmental changes, making them highly valuable in applications where precision, adaptability, and multifunctionality are crucial. Their versatility has led to widespread exploration in fields such as biomedical devices, aerospace engineering, soft robotics, energy harvesting systems, and sensor technologies [1], [2].

Additive manufacturing (AM), commonly referred to as 3D printing, is a cutting-edge layer-by-layer fabrication process that has revolutionized the way complex structures and functional components are designed and manufactured. This technology offers unprecedented design freedom, enabling the creation of intricate geometries, gradient materials, and multifunctional assemblies that are difficult or impossible to achieve through traditional manufacturing technologies. Furthermore, AM allows for the precise integration of responsive properties into smart materials, ensuring optimal material efficiency, reduced waste, and customized functional properties [3]-[5].

This paper explores the synergy between additive manufacturing and smart materials, providing a detailed analysis of recent advancements in both fields. It highlights key developments, such as the use of AM to fabricate shape-memory alloys, piezoelectric composites, and magneto-responsive polymers, among others. The discussion also delves into the potential applications of AM-enabled smart materials, including self-healing structures, adaptive biomedical implants, reconfigurable robotics, and smart energy devices. Additionally, the paper identifies current challenges, such as material compatibility, process improvement, and the need for improved design methodologies, while proposing future directions to advance the integration of AM and smart materials for next-generation technological solutions.

¹Professor, Academy of Applied Studies Polytechnic, Novi Beograd Section, Blvd. Zorana Djindjića 152 a, 11070 Belgrade, Republic of Serbia, email: amitrovic@politehnika.edu.rs;

Associate Professor, University "Union – Nikola Tesla", Belgrade, Republic of Serbia

²Professor, Academy of Applied Studies Polytechnic, Novi Beograd Section, Blvd. Zorana Djindjića 152 a, 11070 Belgrade, Republic of Serbia, email: djidihovicni@politehnika.edu.rs

³Professor, Academy of Applied Studies Polytechnic, Novi Beograd Section, Blvd. Zorana Djindjića 152 a, 11070 Belgrade, Republic of Serbia, email: nratkovickovacevic@politehnika.edu.rs

⁴Professor, Academy of Applied Studies Polytechnic, Novi Beograd Section, Blvd. Zorana Djindjića 152 a, 11070 Belgrade, Republic of Serbia, email: dkreculj@politehnika.edu.rs

⁵Master engineer of technology, Novos d.o.o., Cara Dusana 207, Beograd, email: jelena.vucicevic@novos.co.rs

2. SMART MATERIALS: DEFINITIONS AND CATEGORIES

Smart materials represent a versatile class of advanced materials that are specifically designed to respond dynamically to external stimuli in a controlled and predictable manner. These stimuli can range from thermal and mechanical inputs to electromagnetic and chemical changes, enabling these materials to adapt their properties, shape, or functionality in real time. Smart materials can be classified into several key categories based on their responsive behavior: Shape Memory Materials (SMMs), Piezoelectric Materials, Photomechanical Materials and Conductive and Thermoresponsive Materials (Figure 1) [6].




Figure 1 – Categories of smart materials

SMMs have the remarkable ability to recover their original shape when exposed to specific stimuli, such as heat, light, or an electromagnetic field. This category includes shape-memory alloys (SMAs), such as nickel-titanium (NiTi), known for their high strain recovery and durability, and shape-memory polymers (SMPs), which offer advantages in lightweight and flexible applications. These materials are widely employed in biomedical devices, actuators, and aerospace systems. Piezoelectric materials exhibit a bidirectional coupling between mechanical stress and electrical charge. When subjected to mechanical deformation, they generate an electrical charge, and conversely, they can produce mechanical movement when exposed to an electric field. Common examples include Lead Zirconate Titanate (PZT) and Polyvinylidene Fluoride (PVDF). These materials find critical applications in sensors, actuators, energy harvesters, and medical imaging technologies such as ultrasound transducers. Photomechanical materials undergo mechanical deformation or shape change when exposed to light of specific wavelengths. These materials are particularly advantageous in soft robotics, where light-induced actuation can enable precise and non-invasive control, and in optical devices for applications such as adaptive lenses and light-driven micromechanical systems (MEMSs). Conductive and Thermoresponsive Materials are sensitive to electrical currents or temperature variations. Conductive materials, such as conductive polymers and graphene-based composites, are essential in flexible electronics, wearable devices, and sensors. Thermoresponsive materials, on the other hand, exhibit changes in physical properties, such as swelling, shrinkage, or conductivity, in response to temperature changes. Materials in this category are widely applied in thermal management systems, drug delivery platforms, and adaptive textiles [6]-[8].

These smart materials' precise and engineered responsiveness makes them integral to innovations in a wide range of industries, from healthcare and energy to robotics and aerospace. Their development continues to push the boundaries of material science, offering transformative potential for next-generation technologies.

3. ADDITIVE MANUFACTURING TECHNOLOGIES FOR SMART MATERIALS

Additive Manufacturing technologies have been pivotal in advancing the fabrication of smart materials, offering unprecedented design freedom and enabling the integration of responsive functionalities within complex geometries. Various AM technologies have been adapted to cater specifically to the unique requirements of smart material production, with each method offering distinct advantages and challenges. The key technologies include:

- Vat Photopolymerization,
- Material Extrusion,
- Powder Bed Fusion,
- Direct Ink Writing.

Vat photopolymerization, which uses light to selectively cure photopolymer resins, is renowned for its ability to produce high-resolution structures with exceptional surface finishes. This makes it particularly well-suited for fabricating photomechanical materials and shape-memory polymers, where precision and surface quality are critical. However, the technology is limited by the range of available photopolymer materials and the inherent brittleness of cured resins, which restricts its applicability in applications requiring significant mechanical strength or flexibility. Recent advancements aim to expand material resources and enhance the mechanical properties of photopolymers, making this method increasingly versatile.

Material extrusion technologies, such as Fused Deposition Modeling (FDM) or Fused Filament Fabrication (FFF), are widely recognized for their cost-effectiveness and accessibility. These methods are particularly effective for processing thermoplastic-based smart materials, including conductive composites and shape-memory polymers. Despite their broad appeal, achieving high precision and seamless integration of multiple materials remains a significant challenge due to limitations in nozzle resolution and interlayer adhesion. Ongoing research focuses on enhancing multi-material printing capabilities, optimizing print parameters, and developing advanced filaments to improve functional performance and resolution.

Powder Bed Fusion (PBF) technologies, such as Selective Laser Melting (SLM) and Electron Beam Melting (EBM), are ideal for fabricating metal and ceramic-based smart materials. These processes offer unparalleled control over microstructure, enabling the production of components with customized mechanical, thermal, and electrical properties. PBF is particularly advantageous for the fabrication of piezoelectric materials, as it allows precise control over grain orientation and phase composition, critical for optimizing piezoelectric performance. However, the high cost of equipment, material feedstock, and post-processing requirements remain barriers to widespread adoption. Innovations in powder recycling, process efficiency, and material development are actively addressing these challenges.

Direct Ink Writing (DIW) is an extrusion-based technology that offers exceptional versatility, allowing for the deposition of highly viscous inks containing responsive materials. DIW is particularly suited for fabricating smart materials with functional gradients and multi-material systems, as it enables seamless transitions between different compositions and properties within a single component. The method also supports the incorporation of active fillers, such as nanoparticles or biological agents, into the ink matrix, further expanding its functional capabilities. Despite its potential, challenges such as maintaining ink homogeneity, achieving high-resolution prints, and ensuring the mechanical integrity of printed structures require continued exploration.

These additive manufacturing technologies represent the foundation for the next generation of smart material fabrication, each contributing unique capabilities and addressing specific material and application requirements. By leveraging the strengths of these methods and overcoming their limitations through innovative research, the integration of AM and smart materials is set to unlock transformative possibilities across various industries, from healthcare and robotics to aerospace and renewable energy [9]-[13].

4. CHALLENGES AND FUTURE DIRECTIONS IN ADDITIVE MANUFACTURING OF SMART MATERIALS

Despite its transformative potential, the additive manufacturing of smart materials faces significant technical and practical challenges, requiring interdisciplinary approaches to address them effectively, e.g.:

Material Development

- **Limited AM-Compatible Formulations:** The range of smart materials available for AM remains restricted, necessitating intensive research to broaden the material palette.
- **Stability Issues:** Ensuring the stability and functionality of smart materials during and after the printing process remains a critical hurdle.

Multi-Material Integration

- **Homogeneous material composition:** The integration of diverse smart materials into a single structure without compromising functionality poses significant engineering challenges.
- **Advanced Printing Systems:** Current AM technologies require further advancements to handle complex, multi-material designs efficiently.

Scalability and Cost

- **High Costs:** Both AM systems and smart material precursors are costly, limiting accessibility for large-scale industrial applications.
- **Scaling Challenges:** Transitioning AM processes from laboratory-scale prototypes to industrial-scale production remains a significant obstacle.

Durability and Reliability

- **Long-Term Performance:** Repeated exposure to external stimuli can lead to fatigue, degradation, or failure in smart materials, raising questions about their reliability over extended use.
- **Mechanical and Functional Stability:** Ensuring consistent performance under dynamic conditions is critical for their adoption in real-world applications.

To unlock the full potential of AM in the domain of smart materials, the focus must shift toward addressing current limitations and exploring innovative technologies. Some of the directions for the future development of this field could be: 4D Printing (introducing time as the fourth dimension allows structures to transform autonomously in response to external stimuli, paving the way for adaptive, reconfigurable, and multifunctional systems in fields such as biomedicine and robotics), Bio-Inspired Designs (self-healing polymers, photonic structures, and other bio-mimetic materials inspired by nature are increasingly being explored for their ability to replicate the efficiency and adaptability of biological systems), Computational Advances (the integration of artificial intelligence - AI, machine learning - ML, and computational modeling will revolutionize the design and optimization of AM processes, enabling faster prototyping and enhanced material performance) and Sustainable Development (the development of biodegradable precursors, reduced energy consumption, and waste minimization strategies in AM will align this field with global sustainability objectives, ensuring environmental and economic viability) [6], [14]-[16].

5. CONCLUSION

Additive manufacturing has become a transformative approach for fabricating smart materials, delivering exceptional design flexibility and functionality that surpasses the limitations of traditional manufacturing methods. This innovative approach enables the creation of complex geometries, intricate structures, and customized properties, paving the way for advanced applications across multiple sectors, including aerospace, healthcare, automotive, and robotics. While significant challenges remain regarding material performance, processing efficiency, and scalability, ongoing advancements in material science, AM printing technologies, and computational modeling tools promise to overcome these barriers. The development of AM-based smart material systems that can adapt to external stimuli such as temperature, pressure, or electromagnetic fields holds the potential to revolutionize numerous industries, enabling next-generation products with enhanced capabilities. To

fully unlock the transformative potential of AM-smart materials, continued interdisciplinary collaboration between material scientists, engineers, designers, and computational specialists will be essential. This cooperation will accelerate the refinement of both the materials and the technologies used in AM, improving system reliability, and expanding the range of practical applications. Ultimately, AM is set to revolutionize manufacturing, creating new opportunities for high-performance, multifunctional products.

6. REFERENCES

- [1] Bogue, R. *Smart materials: A review of capabilities and applications*, Assembly Automation 34(1): 16-22, 2014, <https://doi.org/10.1108/AA-10-2013-094>.
- [2] Srivastava, Manu, Rathee, Sandeep, Patel, Vivek, Kumar, Atul, Koppad, Praveennath G.: *A review of various materials for additive manufacturing: Recent trends and processing issues*, Journal of Materials Research and Technology 21(2022): 2612-2641, 2022, <https://doi.org/10.1016/j.jmrt.2022.10.015>.
- [3] Khoo, Z. X., Teoh, J. E. M., Liu, Y., Chua, C. K., Yang, S., An, J., Leong, K. F., Yeong, W. Y.: *3D printing of smart materials: A review on recent progresses in 4D printing*, Virtual and Physical Prototyping 10(3): 103-122, 2015, <https://doi.org/10.1080/17452759.2015.1097054>.
- [4] Zhang, Z., Demir, K. G., Gu, G. X.: *Developments in 4D-printing: a review on current smart materials, technologies, and applications*, International Journal of Smart and Nano Materials 10(3): 205-224, 2019, <https://doi.org/10.1080/19475411.2019.1591541>.
- [5] Oliveira, J., Correia, V., Castro, H., Martins, P., Lanceros-Mendez, S.: *Polymer-based smart materials by printing technologies: Improving application and integration*, Additive Manufacturing 21(2018): 269-283, 2018, <https://doi.org/10.1016/j.addma.2018.03.012>.
- [6] Getmantseva, V. V., Ivanova, M. S.: *The Present and Future of Smart Materials and Smart Clothing*, Polymer Science, Series D 17(2024): 194–198, 2024, <https://doi.org/10.1134/S1995421223700314>.
- [7] Shahbazi, M., Jäger, H., Ettelaie, R., Mohammadi, A., Kashi, P. A.: *Multimaterial 3D printing of self-assembling smart thermo-responsive polymers into 4D printed objects: A review*, Additive Manufacturing 71(2023), Article ID: 103598, <https://doi.org/10.1016/j.addma.2023.103598>.
- [8] Chowdhury, S., Jain, N., Waidi, Y. O., Barua, R., Das, S., Prasad, A., Datta, S.: *Biological Smart Biomaterials: Materials for Biomedical Applications*, (a chapter) In: A., Kumar, A., Kumar, A., Kumar (eds), Applications of Biotribology in Biomedical Systems, Springer, Cham, 2024. https://doi.org/10.1007/978-3-031-58327-8_11.
- [9] Shahrubudin, N., Lee, T. C., Ramlan, R.: *An Overview on 3D Printing Technology: Technological, Materials, and Applications*, Procedia Manufacturing 35(2019): 1286-1296, 2019, <https://doi.org/10.1016/j.promfg.2019.06.089>.
- [10] Sampor, J., Ratković Kovačević, N., Dihovici, Dj., Kreculj, D., Mitrović, A., Savić, A.: *3D printing applications in civil engineering*, In Workshop Programme & Book of Abstracts, The 2nd International Workshop on Structural Integrity of Additively Manufactured Materials (SIAMM 22), Brno, Czech Republic & Online, 2022, pp 71 – 72. http://www.siramm.unipr.it/2_Events/2ndWorkshop/SIAMM22%20Programme%20&%20Book%20of%20Abstracts_for%20Publication.pdf, December 2024.
- [11] Shin, D.-G., Kim, T.-H., Kim, D.-E.: *Review of 4D printing materials and their properties*, International Journal of Precision Engineering and Manufacturing-Green Technology 4(2017): 349-357, 2017, <https://doi.org/10.1007/s40684-017-0040-z>.
- [12] Mišćević, M., Dihovici, Dj., Mitrović, A., Ratković Kovačević, N.: *Metal Technologies in Additive Manufacturing*, In Programme & Book of Abstracts, The International Conference on Structural Integrity and Reliability of Advanced Materials obtained through Additive Manufacturing (SIRAMM23), Timisoara, Romania & Online, 2023, pp 81 – 82. https://www.siramm.unipr.it/2_Events/FinalConferenceSIRAMM23/SIRAMM23%20Programme.pdf, December 2024.
- [13] Savić, A., Mitrović, A., Ratković Kovačević, N., Jevtić, S., Aškračić, M., Stević, M.: *Challenges of 3D printing implementation in Civil Engineering*, In Workshop Programme & Book of Abstracts, The 2nd International Workshop on Structural Integrity of Additively Manufactured

Materials (SIAMM22), Brno, Czech Republic & Online, 2022, pp 67 – 68.

http://www.siramm.unipr.it/2_Events/2ndWorkshop/SIAMM22%20Programme%20&%20Book%20of%20Abstracts_for%20Publication.pdf, December 2024.

- [14] Farid, M. I., Wu, W., Guiwei, L., Yu, Z.: *Research on imminent enlargements of smart materials and structures towards novel 4D printing (4DP: SMs-SSs)*, The International Journal of Advanced Manufacturing Technology 126(2023): 2803-2823, 2023, <https://doi.org/10.1007/s00170-023-11180-z>.
- [15] Zafar, M. Q., Zhao, H.: *4D Printing: Future Insight in Additive Manufacturing*, Metals and Materials International 26(2020): 564–585, 2019, <https://doi.org/10.1007/s12540-019-00441-w>.
- [16] Behera, A.: *Smart Materials Based Additive Manufacturing*, (a chapter) In: S. Rajendrachari (eds) *Practical Implementations of Additive Manufacturing Technologies*, Materials Horizons: From Nature to Nanomaterials, Springer, Singapore, 2024. https://doi.org/10.1007/978-981-99-5949-5_7.